




Build Great Fishing Rods



2017
New Products



Hardware

DESCRIPTION

The OmniArbor® (Patent Pending) is a new product designed to easily and effectively mount reel seats to rod blanks. Its goof proof features, and low price results in superior reel seat mounting, saving builders time and money.

FEATURES

- Custom Sized to fit reel seats.
- Self Centering
- Glue Dam
- Thermoplastic Resin

BENEFITS

- Faster Assembly
- Water Proof
- Ease of Use
- Adjusts to Multiple Sized Blanks




APPLICATION

- The four models of OmniArbor® are sized to match the I.D of the 16, 17, 18 and 20mm reel seats.
- OmniArbor automatically adjusts to a wide variation of blank butt diameters.
- The time to install an OmniArbor® is significantly less than boring and installing foam arbors or building up a tape mount.
- The FINS inside the OmniArbor® progressively fold down against the inner wall during installation.
- Simply slide the OmniArbor® on to the correct location on the blank creating a centered mount for the reel seat.
- Unlike masking tape, TPR (Thermal Plastic Resin) will not break down when wet or damp.
- The dam blocks the epoxy from leaking or dripping down the blank when the blank is placed upright in a drying rack.

Outer Dimension Sized for Reel Seats


Self Centering Fins



Glue Dam

OMNI ARBOR CROSS-SECTION

Hardware



SIZES




NO.	OD	Height	Weight	At Reel Seat		Recomended Number Per Reel Seat
				Min Blank OD	Max Blank OD	
16	15	12.1	1.30g	6.75	12.1	2
17	16.8	11.9	1.60g	6.75	13.0	2
18	17.5	12.2	1.75g	6.75	14.7	3
20	18.5	12.1	1.92g	6.75	15.6	3

Guides

MODEL DV - ZIRCONIA RINGS

DEEP DRAWN FRAME

- Titanium Deep Drawn single foot design cradles and protects the ceramic ring for increased impact resistance.
- Thinner cross section zirconia rings for reduced weight.
- Single foot design for flexibility, lighter weight and increased sensitivity.



	Frame	Titanium
	Ring	Zirconia
Ring Size	8	TDVZG08
	10	TDVZG10
	12	TDVZG12
	16	TDVZG16
	20	TDVZG20
	25	TDVZG25
	30	TDVZG30

RING NO.	HEIGHT		LENGTH	
	H	H1	L	L1
8	13.9	4.5	16.4	9.2
10	17.5	6.5	21.3	12.5
12	21.0	6.5	23.0	12.5
16	25.8	9.8	26.5	15.5
20	32.3	11.8	27.0	18.0
25	41.5	17.5	28.0	20.0
30	49.7	21.8	33.0	25.0

Round Fly Top XFTR


Fly Tops



Round Fly Top XFTR

- Round wire loop for increased line and knot clearance
- 100° Loop to tube angle for smooth casting, line retrieval, and excellent knot clearance
- Super Hard Chrome plating for superior corrosion, abrasion and groove resistance
- Standard loop diameter using 0.9mm SS wire for the round loop

Frame Material	SS	SS	SS	SS	SS
Ring Material	SS	SS	SS	SS	SS
Frame Color	Hard Chrome	TiBronze	TiGold	TiGrey	Black Chrome
Ring Color	Hard Chrome	TiBronze	TiGold	TiGrey	Black Chrome
Tube Size	XFTR4.0	EFTR4.0	NFTR4.0	CFTR4.0	BFTR4.0
	XFTR4.5	EFTR4.5	NFTR4.5	CFTR4.5	BFTR4.5
	XFTR5.0	EFTR5.0	NFTR5.0	CFTR5.0	BFTR5.0
	XFTR5.5	EFTR5.5	NFTR5.5	CFTR5.5	BFTR5.5
	XFTR6.0	EFTR6.0	NFTR6.0	CFTR6.0	BFTR6.0
	XFTR6.5	EFTR6.5	NFTR6.5	CFTR6.5	BFTR6.5
	XFTR7.0	EFTR7.0	NFTR7.0	CFTR7.0	BFTR7.0
	XFTR7.5	EFTR7.5	NFTR7.5	CFTR7.5	BFTR7.5



Model TR - Round Fly Top					
Item	Height	Length		Horiz.	Wire
No.	H	L	L2	Loop ID	Dia.
FTR	7.4	16.3	13.0	5.8	0.90

Aluminum Roller Guides



Guides & Tops

Eliminator Mid Series - EMRG & EMRT



Champagne • Black Military • Matte Silver

- Same rugged quality built into our full line of Eliminator Series roller guides.
- Lightweight, one piece frame machined from solid 6061 marine grade aluminum.
- Perfectly matched for use on 30-80 lb SW rods.
- Teflon coated stainless steel bearings reduce friction allowing ultra smooth rolling.
- Recessed "Deep V" roller prevents line binding between rollers and frame.
- Color matched aluminum side plates (not plastic) offer increased guide strength.



ELIMINATOR MEDIUM ROLLER TOPS				
	Frame & Sideplates	CHAMPAGNE MATTE	BLACK MILITARY	SILVER MATTE
Tip Tube Size	12	EMRT12-CM	EMRT12-BM	EMRT12-SM
	14	EMRT14-CM	EMRT14-BM	EMRT14-SM
	16	EMRT16-CM	EMRT16-BM	EMRT16-SM
	18	EMRT18-CM	EMRT18-BM	EMRT18-SM
	20	EMRT20-CM	EMRT20-BM	EMRT20-SM
	22	EMRT22-CM	EMRT22-BM	EMRT22-SM
	24	EMRT24-CM	EMRT24-BM	EMRT24-SM
	26	EMRT26-CM	EMRT26-BM	EMRT26-SM
	28	EMRT28-CM	EMRT28-BM	EMRT28-SM
	30	EMRT30-CM	EMRT30-BM	EMRT30-SM

MODEL EMRG - Roller Guides				
Size	Height	Length		Width
No.	H	L	L1	W
01	26.75	54.4	17.75	17.2
02	26.8	54.6	18.6	16.9
03	29.5	55.5	19.75	17
04	32.0	55.85	20.75	16.85
05	47.4	91.75	25.85	18.2

ELIMINATOR MEDIUM ROLLER GUIDES				
	Frame & Sideplates	CHAMPAGNE MATTE	BLACK MILITARY	SILVER MATTE
# of Rollers	1	EMRG01-CM	EMRG01-BM	EMRG01-SM
	1	EMRG02-CM	EMRG02-BM	EMRG02-SM
	1	EMRG03-CM	EMRG03-BM	EMRG03-SM
	1	EMRG04-CM	EMRG04-BM	EMRG04-SM
	2	EMRG05-CM	EMRG05-BM	EMRG05-SM

Eliminator Jr. Series - EJRG & EJRT

Guides & Tops

ELIMINATOR JUNIOR ROLLER GUIDES				
	Frame & Sideplates	CHAMPAGNE MATTE	BLACK MILITARY	SILVER MATTE
# of Rollers	1	EJRG01-CM	EJRG01-BM	EJRG01-SM
	1	EJRG02-CM	EJRG02-BM	EJRG02-SM
	1	EJRG03-CM	EJRG03-BM	EJRG03-SM
	1	EJRG04-CM	EJRG04-BM	EJRG04-SM



- Same rugged quality built into our Eliminator Jr. Series.
- Lightweight, one piece frame machined from solid 6061 marine grade aluminum.
- Ideal for use on 50-80 lb SW rods.
- Solid Teflon bearings reduce friction allowing ultra smooth stainless steel rollers.
- Recessed "Deep V" roller prevents line binding between roller and frame.
- Large knot clearance roller design.
- Aluminum side plates (not plastic) offer increased guide strength.

ELIMINATOR JUNIOR ROLLER TOPS				
	Frame & Sideplates	CHAMPAGNE MATTE	BLACK MILITARY	SILVER MATTE
Tip Tube Size	08	EJRT08-CM	EJRT08-BM	EJRT08-SM
	09	EJRT09-CM	EJRT09-BM	EJRT09-SM
	10	EJRT10-CM	EJRT10-BM	EJRT10-SM
	12	EJRT12-CM	EJRT12-BM	EJRT12-SM
	14	EJRT14-CM	EJRT14-BM	EJRT14-SM

Eliminator Series - ERG & ERT




ELIMINATOR ROLLER TOPS				
	Frame & Sideplates	CHAMPAGNE MATTE	BLACK MILITARY	SILVER MATTE
Tip Tube Size	12	ERT12-CM	ERT12-BM	ERT12-SM
	14	ERT14-CM	ERT14-BM	ERT14-SM
	16	ERT16-CM	ERT16-BM	ERT16-SM
	18	ERT18-CM	ERT18-BM	ERT18-SM
	20	ERT20-CM	ERT20-BM	ERT20-SM
	22	ERT22-CM	ERT22-BM	ERT22-SM
	24	ERT24-CM	ERT24-BM	ERT24-SM
	26	ERT26-CM	ERT26-BM	ERT26-SM
	28	ERT28-CM	ERT28-BM	ERT28-SM
	30	ERT30-CM	ERT30-BM	ERT30-SM

ELIMINATOR ROLLER GUIDES				
	Frame & Sideplates	CHAMPAGNE MATTE	BLACK MILITARY	SILVER MATTE
# of Rollers	1	ERG01-CM	ERG01-BM	ERG01-SM
	1	ERG02-CM	ERG02-BM	ERG02-SM
	1	ERG03-CM	ERG03-BM	ERG03-SM
	1	ERG04-CM	ERG04-BM	ERG04-SM

- Lightweight one piece frames machined from solid 6061 marine grade aluminum.
- Ideal for use on 80+lb SW rods.
- Solid Teflon bearings reduce friction allowing ultra smooth stainless steel rollers.
- Recessed "Deep V" roller design prevents line binding between roller and frame.
- Aluminum side plates (not plastic) offer increased guide strength.
- Large knot clearance roller design

Reel Seats

- I.D. increments of 0.5 mm accommodate today's most popular blank O.D.s.
- 13 I.D.s from 9.5mm to 15mm available.
- Available in three different locking stainless steel hood colors, Natural SS, TiCH, and Black
- Double contour sculpting provides outstanding grip and palming reel control with direct contact to the blank for maximum sensitivity to strikes
- Features a Soft Touch finish for a non-slip grip
- Rear grip pocket sized to fit FA-24 Arbor to mount Carbon Graphite grips
- Rear transition area has 1" OD for ease of installation and universal grip matching



Hood Color			Length		I.D.	
			MM	INCH	MM	INCH
GBX16C-095	GBX16C-B-095	GBX16C-C-095	114	4.5	9.5	0.374
GBX16C-100	GBX16C-B-100	GBX16C-C-100	114	4.5	10.0	0.394
GBX16C-105	GBX16C-B-105	GBX16C-C-105	114	4.5	10.5	0.413
GBX16C-110	GBX16C-B-110	GBX16C-C-110	114	4.5	11.0	0.433
GBX16C-115	GBX16C-B-115	GBX16C-C-115	114	4.5	11.5	0.453
GBX16C-120	GBX16C-B-120	GBX16C-C-120	114	4.5	12.0	0.473
GBX16C-125	GBX16C-B-125	GBX16C-C-125	114	4.5	12.5	0.493
GBX16C-130	GBX16C-B-130	GBX16C-C-130	114	4.5	13.0	0.512
GBX16C-135	GBX16C-B-135	GBX16C-C-135	114	4.5	13.5	0.532
GBX16C-140	GBX16C-B-140	GBX16C-C-140	114	4.5	14.0	0.552
GBX16C-145	GBX16C-B-145	GBX16C-C-145	114	4.5	14.5	0.571
GBX16C-150	GBX16C-B-150	GBX16C-C-150	114	4.5	15.0	0.591
GBX17C-170	GBX17C-B-171	GBX17C-C-172	128.5	5.0	15.7	0.618

Comfort Palm Spin

Reel Seats


	Hood Color	
Stainless Steel	Black	TiGrey
GCP16C	GCP16C-B	GCP16C-C
GCP16C-BST	GCP16C-B-BST	GCP16C-C-BST



Comfort Palm Spin

- Molded from High Impact glass filled nylon for years of rugged use
- Available in both a natural nylon finish and a Soft Touch finish for a non-slip grip
- Designed for Freshwater and light saltwater spinning rods
- Rear grip mounting pocket designed for Ultra-Easy mounting of rear grips with OD of .93", 24mm
- Through hole accepts blanks up to 15mm, .60"
- Enlarged palm swell area for increased comfort and reduced fatigue
- Available in three different locking stainless steel hood colors, Natural SS, TiCH, and Black
- Rear pocket mates perfect with WGTR09 graphite tube.

Length		I.D.	
MM	INCH	MM	INCH
116.8	4.6	14.8	0.60




Butts



FEATURES

- The Reel seat features Channel Lock to fully support the reel foot ensuring that reel won't wobble side to side
- Channel Lock profile aligns the butt components and keeps them that way permanently
- Redesigned reinforced fixed and sliding hoods built for years of rugged use.
- Machined from marine-grade aluminum and hard anodized coated to ensure strength and corrosion resistance.
- Awesome new matte finishes including champagne matte, sterling matte, and military black.
- PAB7 has thicker aluminum walls to fight and land that giant fish

ITEM NO.			STYLE	CLASS	LENGTH LESS FERRULE	FERRULE I.D.		FERRULE O.D.	
CHAMPAGNE MATTE	SILVER MATTE	BLACK MILITARY				inch	mm	inch	mm
PAB1-CM	PAB1-SM	PAB1-BM	REGULAR	STRAIGHT	6-30	19.2	19.1	0.750	21.3
PAB1S -CM	PAB1S -SM	PAB1S-BM	SHORT	STRAIGHT	6-30	17.2	19.1	0.750	21.3
PAB2 -CM	PAB2 -SM	PAB2-BM	REGULAR	STRAIGHT	30-50	19.8	22.2	0.873	24.6
PAB2C -CM	PAB2C -SM	PAB2C-BM	REGULAR	CURVED	30-50	28.4	22.2	0.873	24.6
PAB2S -CM	PAB2S -SM	PAB2S-BM	SHORT	STRAIGHT	30-50	17.8	22.2	0.873	24.6
PAB2SC -CM	PAB2SC -SM	PAB2SC-BM	SHORT	CURVED	30-50	17.8	22.2	0.873	24.6
PAB4 -CM	PAB4 -SM	PAB4-BM	REGULAR	STRAIGHT	80	22.8	25.4	1.000	28.8
PAB4C -CM	PAB4C -SM	PAB4C-BM	REGULAR	CURVED	80	27.8	25.4	1.000	28.8
PAB7 -CM	PAB7 -SM	PAB7-BM	REGULAR	STRAIGHT	130+	23.5	30.2	1.188	33.9
PAB7C -CM	PAB7C -SM	PAB7C-BM	REGULAR	CURVED	130+	28.4	30.2	1.188	33.9



ITEM NO.		
CHAMPAGNE MATTE	SILVER MATTE	BLACK MILITARY
PABFN1-CM	PABFN1-SM	PABFN1-BM
PABFN2-CM	PABFN2-SM	PABFN2-BM
PABFN4-CM	PABFN4-SM	PABFN4-BM
PABFN7-CM	PABFN7-SM	PABFN7-BM

Custom Rod Builders

Just for Fun

MPU Finishing Examples




These are few of the styles that some of our custom rod builders have done with our new ReadyForm™ molded grips.

See the following 2 pages for the Molded Polyurethane ReadyForm™ grips used in these examples.

Molded Polyurethane Foam Grips

Grips



Molded Contour Grips

Our new lightweight Molded Polyurethane Foam Contour asymmetrical grips allow for comfortable grip with spinning, casting and fly rods. These unique Ready Form shapes will allow you to apply your own creativity to the grips on your fishing rod creating custom designs. The grips can be covered with multitude of different finishes such a marbling, Hydrographic paint or decals, woven graphite or rod finish.

Grips

READY FORM CONTOUR MOLDED POLYURETHANE GRIPS

Figure	Item No.	Description
1	MPU-SXCSF1.5-.375B	MPU SX TAPERED CAST OR SPIN FOREGRIP 1.5"L-.375ID BLACK
2	MPU-SXCMS4-.46B	MPU SX TAPERED CAST OR SPIN MIDGRIP 4"L-.46ID BLACK
3	MPU-SXFBB2-.375B	MPU SX TAPERED FIGHTING BUTT 2"L-.375ID BLACK
4	MPU-CCF1.7-.63B	MPU CONTOUR CASTING FINGERGRIP FORE 1.7"L .63ID BLACK
5	MPU-CPCM4.7-.63B	MPU CONTOUR PISTOLGRIP MIDGRIP 4.7"L .63ID BLACK
6	MPU-CCB2.4-.63B	MPU CONTOUR BUTT/REAR GRIP 2.4"L .63ID BLACK
7	MPU-RHWTCF7-.375B	MPU CONTOUR FLY REVERSE HALF WELLS TOUCH CUTOUT 7"L .375ID BLACK
8	MPU-TFBB1.7-.375B	MPU CONTOUR TAPERED FIGHTING BUTT 1.7"L .375ID BLACK
9	MPU-FWTCF7-.375B	MPU CONTOUR FLY FULL WELLS TOUCH TOUCH 7"L .375ID BLACK



READY FORM CONTOUR MOLDED POLYURETHANE GRIPS WITH SOFT TOUCH

Figure	Item No.	Description
1	MPU-SXCSF1.5-.375BST	MPU SX TAPERED CAST OR SPIN FOREGRIP 1.5"L-.375ID BLACK SOFT TOUCH
2	MPU-SXCMS4-.46BST	MPU SX TAPERED CAST OR SPIN MIDGRIP 4"L-.46ID BLACK SOFT TOUCH
3	MPU-SXFBB2-.375BST	MPU SX TAPERED FIGHTING BUTT 2"L-.375ID BLACK SOFT TOUCH
4	MPU-CCF1.7-.63BST	MPU CONTOUR CASTING FINGERGRIP FORE 1.7"L .63ID BLACK SOFT TOUCH
5	MPU-CPCM4.7-.63BST	MPU CONTOUR PISTOLGRIP MIDGRIP 4.7"L .63ID BLACK SOFT TOUCH
6	MPU-CCB2.4-.63BST	MPU CONTOUR BUTT/REAR GRIP 2.4"L .63ID BLACK SOFT TOUCH
7	MPU-RHWTCF7-.375BST	MPU CONTOUR FLY REVERSE HALF WELLS TOUCH CUTOUT 7"L .375ID BLACK SOFT TOUCH
8	MPU-TFBB1.7-.375BST	MPU CONTOUR TAPERED FIGHTING BUTT 1.7"L .375ID BLACK SOFT TOUCH
9	MPU-FWTCF7-.375BST	MPU CONTOUR FLY FULL WELLS TOUCH CUTOUT 7"L .375ID BLACK SOFT TOUCH

READY FORM MOLDED POLYURETHANE GRIPS WITH SOFT TOUCH

Figure	Item No.	Description
10	MPU-RHWCF6.8-.375BST	MPU REVERSED HALF WELLS CUTOUT FLY GRIP 6.8"L-.375ID BLACK SOFT TOUCH
11	MPU-TCSF1.8-.375BST	MPU TAPERED CAST OR SPIN FOREGRIP 1.8"L-.375ID BLACK SOFT TOUCH
12	MPU-TCSM2.6-.350BST	MPU TAPERED CAST OR SPIN MID GRIP 2.6"L-.350ID BLACK SOFT TOUCH
13	MPU-CCSM3.4-.375BST	MPU CURVED CAST OR SPIN MID GRIP 3.4"L-.375ID BLACK SOFT TOUCH
14	MPU-TFB1.4-.375BST	MPU TAPERED FIGHTING BUTT 1.4"L-.375ID BLACK SOFT TOUCH

READY FORM MOLDED POLYURETHANE GRIPS

Figure	Item No.	Description
10	MPU-RHWCF6.8-.375B	MPU REVERSED HALF WELLS CUTOUT FLY GRIP 6.8"L-.375ID BLACK
11	MPU-TCSF1.8-.375B	MPU TAPERED CAST OR SPIN FOREGRIP 1.8"L-.375ID BLACK
12	MPU-TCSM2.6-.350B	MPU TAPERED CAST OR SPIN MID GRIP 2.6"L-.350ID BLACK
13	MPU-CCSM3.4-.375B	MPU CURVED CAST OR SPIN MID GRIP 3.4"L-.375ID BLACK
14	MPU-TFB1.4-.375B	MPU TAPERED FIGHTING BUTT 1.4"L-.375ID BLACK


Woven Graphite Tubing

Grips

	LENGTH INCHES	LENGTH MM	O.D. INCHES	O.D. MM
WGTF3.5-.68-	3.5"	90	.68"	17.3
WGTF3.5-.75-	3.5"	90	.75"	19.0
WGTR09-.94-	8.75"	222	.94"	23.9
WGTR14-1.0-	14"	356	1.0"	25.4


WOVEN GRAPHITE TUBING

- The WGR 14 tubes mate with the rear area of the GMC, GMS, GTF, GBX and the GB Reelseats.
- The WGS9 is designed to fit perfectly of the rear pocket of the comfort palm.



Deep Green	Deep Red	Deep Blue	Natural Graphite
WGTF3.5-.68-DG	WGTF3.5-.68-DR	WGTF3.5-.68-DU	WGTF3.5-.68-NG
WGTF3.5-.75-DG	WGTF3.5-.75-DR	WGTF3.5-.75-DU	WGTF3.5-.75-NG
WGTR09-.94-DG	WGTR09-.94-DR	WGTR09-.94-DU	WGTR09-.94-NG
WGTR14-1.0-DG	WGTR14-1.0-DR	WGTR14-1.0-DU	WGTR14-1.0-NG

Tools & Supplies




DESCRIPTION

RW-THSK is a new Thread Magazine System for the PacBay rod wrapper thread tension carriage. It enables you to stack two additional spools on top of the existing thread tensioner to add more thread spools to the wrapper. It also allows you to organize your thread spools and quickly change out to two new colors. RW-THSK comes with a detachable screw-down base plate and two mounting screws. This tensioner can also be used to build your own custom rod wrapper.





Build Great Fishing Rods



WWW.FISHPACBAY.COM
INFO@FISHPACBAY.COM

2017 New Products